

AMI

ASHU MOTORS INDIA



MOTORS FOR



Window



ODU



FCU



Deep Freezer



Water Cooler

AMI

ASHU MOTORS INDIA



MOTORS FOR




Window



ODU



FCU



Deep Freezer



Water Cooler

ASHU MOTORS INDIA

ABOUT US

ASHU MOTORS INDIA IS ONE OF THE MOST REPUTED AND LEADING MOTORS AND BRACKETS MANUFACTURING COMPANIES SINCE 1997. BEING IN THE MARKET FOR SO LONG, WE UNDERSTAND OUR CUSTOMER'S REQUIREMENTS THOROUGHLY. OUR TOP CLASS INFRASTRUCTURE FACILITATES IN MANUFACTURING HIGH QUALITY PRODUCTS IN A SHORT TURNAROUND TIME.

WE ARE INTO MANUFACTURING OF :-

1. AIR CONDITIONER MOTORS
2. AIR CONDITIONER & ODU BRACKETS
3. WATER COOLER MOTORS
4. DEEP FREEZER MOTORS
5. COOLER MOTORS
6. TROLLEY FOR WASHING MACHINES

QUALITY HAS ALWAYS BEEN OUR PRIME MOTTO AND CUSTOMER'S SATISFACTION IS OUR MOTIVATION TO DO BETTER AND IMPROVISE.

IDEALLY SUITABLE FOR



OUTDOOR MOTORS



MODEL : AMI G01 F95

SUITABLE FOR LG 1.5 TON

R.P.M.	: 870
ROTATION	: CW
WATTS	: 39
CAPACITOR REC.	: 2mfd.
SHAFT EXTENSION	: 69.7mm Incl. Thread
FLAT SIZE	: 23mm Incl. Thread



MODEL : AMI G02 F95

SUITABLE FOR VIDEOCON

R.P.M.	: 1100
ROTATION	: CW
WATTS	: 55
CAPACITOR	: 3mfd.
SHAFT EXTENSION	: 67.0mm Incl. Thread
FLAT SIZE	: 34.5mm Incl. Thread



MODEL : AMI G03 F95

SIUTABLE FOR VOLTAS

R.P.M.	: 920
ROTATION	: ACW
WATTS	: 45
CAPACITOR	: 2.5mfd.
SHAFT EXTENSION	: 68.0mm Incl. Thread
FLAT SIZE	: 32mm Incl. Thread



OUTDOOR MOTORS



MODEL : AMI G04 F95

SUITABLE FOR LLOYED

R.P.M.	: 1100
ROTATION	: CW
WATTS	: 55
CAPACITOR	: 3mfd.
SHAFT EXTENSION	: 90.0mm Non Thread
FLAT SIZE	: 40mm Non Thread



MODEL : AMI G05 F95

SUITABLE FOR SPEED & MORE

R.P.M.	: 900
ROTATION	: ACW
WATTS	: 55
CAPACITOR	: 3mfd.
SHAFT EXTENSION	: 68.0mm Incl. Thread
FLAT SIZE	: 41.7mm Incl. Thread



MODEL : AMI G07 F95

SUITABLE FOR SPEED & MORE

R.P.M.	: 1200
ROTATION	: CW
WATTS	: 65
CAPACITOR	: 3mfd.
SHAFT EXTENSION	: 95.0mm Incl. Thread
FLAT SIZE	: 55.5mm Incl. Thread

OUTDOOR MOTORS



MODEL : AMI G08 F95

SUITABLE FOR

R.P.M.	: 850
ROTATION	: ACW
WATTS	: 65
CAPACITOR	: 2.5mfd.
SHAFT EXTENSION	: 96.0mm Incl. Thread
FLAT SIZE	: 55.5mm Incl. Thread



MODEL : AMI G09 F95

SUITABLE FOR VOLTAS & MORE

R.P.M.	: 870
ROTATION	: CW
WATTS	: 38
CAPACITOR	: 2.5mfd.
SHAFT EXTENSION	: 95.0mm Incl. Thread
FLAT SIZE	: 34mm Incl. Thread



MODEL : AMI G10 F95

SUITABLE FOR SAMSUNG & MORE

R.P.M.	: 1050
ROTATION	: CW
WATTS	: 45
CAPACITOR REC.	: 2.5mfd.
SHAFT EXTENSION	: 76.0mm Incl Thread
FLAT SIZE	: 41.5mm Incl Thread

OUTDOOR MOTORS



MODEL : AMI G11 F95

SUITABLE FOR LLOYD & MORE

R.P.M.	: 1100
ROTATION	: CW
WATTS	: 55
CAPACITOR	: 3mfd.
SHAFT EXTENSION	: 57.5mm Non Thread
FLAT SIZE	: 40mm Non Thread



MODEL : AMI G12 F95

SUITABLE FOR VOLTAS, WHIRL-POOL, BLUESTAR, GODREJ PICL NO- 1145, 1147, 1233, 1230

R.P.M.	: 880
ROTATION	: CW
WATTS	: 55
CAPACITOR	: 3mfd.
SHAFT EXTENSION	: 85.0mm Incl. Thread
FLAT SIZE	: 37.5mm Incl. Thread



MODEL : AMI G13 F95

SUITABLE FOR

R.P.M.	: 920
ROTATION	: CW
WATTS	: 45
CAPACITOR	: 2.5mfd.
SHAFT EXTENSION	: 67.0mm Incl. Thread
FLAT SIZE	: 34.5mm Incl. Thread



OUTDOOR MOTORS



MODEL : AMI G14 F95

SUITABLE FOR

R.P.M.	: 1100
ROTATION	: CW
WATTS	: 65
CAPACITOR	: 3mfd.
SHAFT EXTENSION	: 67.0mm Incl. Thread
FLAT SIZE	: 34.5mm Incl. Thread



MODEL : AMI G15 F95

SUITABLE FOR VOLTAS & MORE

R.P.M.	: 1100
ROTATION	: ACW
WATTS	: 65
CAPACITOR	: 3mfd.
SHAFT EXTENSION	: 67.0mm Incl. Thread
FLAT SIZE	: 32mm Incl. Thread



MODEL : AMI G18 F95

**SUITABLE FOR HAIER PICL
UC- 1153, 1121, 1141, 1107**

R.P.M.	: 860
ROTATION	: ACW
WATTS	: 30
CAPACITOR	: 3mfd.
SHAFT EXTENSION	: 67.0mm Incl. Thread
FLAT SIZE	: 47mm Incl. Thread



OUTDOOR MOTORS



MODEL : AMI G29 F95

SUITABLE FOR HITACHI

R.P.M.	: 900
ROTATION	: CW
WATTS	: 54
CAPACITOR	: 3mfd.
SHAFT EXTENSION	: 53.0mm Incl. Thread
FLAT SIZE	: 41.5mm Incl. Thread



MODEL : AMI G34 F95

SUITABLE FOR PANASONIC - UC 052, UC 024, 011

R.P.M.	: 1020
ROTATION	: CW
WATTS	: 60
CAPACITOR	: 3mfd.
SHAFT EXTENSION	: 69.0mm Incl. Thread
FLAT SIZE	: 31.5mm Incl. Thread

OUTDOOR MOTORS



MODEL : AMI G36 F95

SUITABLE FOR GAL 28 A

R.P.M.	: 900
ROTATION	: ACW
WATTS	: 28
CAPACITOR	: 2mfd.
SHAFT EXTENSION	: 63.0mm Incl. Thread
FLAT SIZE	: 31.0mm Incl. Thread



MODEL : AMI G37 F95

SUITABLE FOR GAL 30 A

R.P.M.	: 900
ROTATION	: CW
WATTS	: 30
CAPACITOR	: 2mfd.
SHAFT EXTENSION	: 54.0mm Incl. Thread
FLAT SIZE	: 21.5mm Incl. Thread



MODEL : AMI G38 F95

SUITABLE FOR GAL 38A

R.P.M.	: 880
ROTATION	: CW
WATTS	: 38
CAPACITOR	: 2.5mfd.
SHAFT EXTENSION	: 92.0mm Incl. Thread
FLAT SIZE	: 33.0mm Incl. Thread



OUTDOOR MOTORS



MODEL : AMI G39 F95

SUITABLE FOR DAIKIN

R.P.M.	: 900
ROTATION	: ACW
WATTS	: 37
CAPACITOR	: 2mfd.
SHAFT EXTENSION	: 61.0mm Incl. Thread
FLAT SIZE	: 38.0mm Incl. Thread



MODEL : AMI G40 F95

SUITABLE FOR LG 2.0T

R.P.M.	: 1170
ROTATION	: CW
WATTS	: 69
CAPACITOR	: 3mfd.
SHAFT EXTENSION	: 67.0mm Incl. Thread
FLAT SIZE	: 23.0mm Incl. Thread



MODEL : AMI G41 F95

SUITABLE FOR HITACHI, UC - 1167

R.P.M.	: 1140
ROTATION	: ACW
WATTS	: 68
CAPACITOR	: 3mfd.
SHAFT EXTENSION	: 70.0mm Incl. Thread
FLAT SIZE	: 38.0mm Incl. Thread



E FRAME MOTORS FOR WINDOW AIR CONDITIONERS



MODEL : AMI B40 EF29

SUITABLE FOR VOLTAS 1 TON

R.P.M.	: 930
WATT	: 90
H.P	: 1/8
ROTATION	: CCW
CAPACITOR	: 6mfd.
SPEED	: 3
SH EXTENSION	: 62.0mm x 51.0mm
FLAT SIZE	: 21mm x 35mm (Non Thread)



MODEL : AMI B47 EF29

SUITABLE FOR HITACHI

R.P.M.	: 900
WATT	: 30
H.P	: 1/7
ROTATION	: CCW
CAPACITOR	: 6mfd.
SPEED	: 3
SH EXTENSION	: 143.5mm x 115.5mm
FLAT SIZE	: 40mm x 65mm (Non Thread)



MODEL : AMI B48 EF29

SUITABLE FOR HITACHI

R.P.M.	: 1050
WATT	: 100
H.P	: 1/6
ROTATION	: CW
CAPACITOR	: 4mfd.
SPEED	: 3
SH EXTENSION	: 185.5mm x 94mm
FLAT SIZE	: 37.5mm x 31mm (With Thread)



E FRAME MOTORS FOR WINDOW AIR CONDITIONERS



MODEL : AMI B49 EF29

SUITABLE FOR OG , ONIDA

R.P.M.	: 930
WATT	: 93
H.P	: 1/8
ROTATION	: CCW
CAPACITOR	: 6mfd.
SPEED	: 3
SH EXTENSION	: 143mm x 73mm
FLAT SIZE	: 63mm x 52mm (Non Thread)



MODEL : AMI B50 EF29

SUITABLE FOR VOLTAS

R.P.M.	: 930
WATT	: 93
H.P	: 1/8
ROTATION	: CCW
CAPACITOR	: 6mfd.
SPEED	: 3
SH EXTENSION	: 177.3mm x 86mm
FLAT SIZE	: 42mm with Thread x 35mm Non Thread



MODEL : AMI B53 EF29

SUITABLE FOR OG

R.P.M.	: 930
WATT	: 93
H.P	: 1/8
ROTATION	: CCW
CAPACITOR	: 6mfd.
SPEED	: 3
SH EXTENSION	: 123mm x 79mm
FLAT SIZE	: 62mm x 52mm (Non Thread)



E FRAME MOTORS FOR WINDOW AIR CONDITIONERS



MODEL : AMI B54 EF29

SUITABLE FOR NEPOLEON

R.P.M.	: 930
WATT	: 93
H.P	: 1/8
ROTATION	: CCW
CAPACITOR	: 6mfd.
SPEED	: 3
SH EXTENSION	: 123mm x 65mm
FLAT SIZE	: 36mm x 36mm (With Thread)



MODEL : AMI B57 EF29

SUITABLE FOR SPEED

R.P.M.	: 930
WATT	: 93
H.P	: 1/8
ROTATION	: CCW
CAPACITOR	: 6mfd.
SPEED	: 3
SH EXTENSION	: 93mm x 79.5mm
FLAT SIZE	: 47mm x 47mm (With Thread)



MODEL : AMI B58 EF29

SUITABLE FOR VOLTAS (OLD MODEL)

R.P.M.	: 930
WATT	: 93
H.P	: 1/8
ROTATION	: CCW
CAPACITOR	: 6mfd
SPEED	: 3
SH EXTENSION	: 145.5mm x 82.5mm
FLAT SIZE	: 32mm With Thread x 40mm Non Thread



E FRAME MOTORS FOR WINDOW AIR CONDITIONERS



MODEL : AMI B59 EF29

SUITABLE FOR L.G

R.P.M.	: 930
WATT	: 93
H.P	: 1/8
ROTATION	: CCW
CAPACITOR	: 6mfd
SPEED	: 3
SH EXTENSION	: 151.0mm x 89.0mm
FLAT SIZE	: 55mm x 40mm (Non Thread)



MODEL : AMI B60 EF29

SUITABLE FOR L.G 1TON

R.P.M.	: 930
WATT	: 90
H.P	: 1/8
ROTATION	: CCW
CAPACITOR	: 6mfd
SPEED	: 3
SH EXTENSION	: 62.0mm x 53.5mm
FLAT SIZE	: 21mm x 35mm (Non Thread)



MODEL : AMI B73 EF29

SUITABLE FOR VOLTAS UE 1168M

R.P.M.	: 910
WATT	: 95
H.P	: 1/8
ROTATION	: CCW
CAPACITOR	: 6mfd
SPEED	: 3
SH EXTENSION	: 178.0mm x 57.5mm
FLAT SIZE	: 78mm with Thread x 51mm Non Thread



E FRAME MOTORS FOR WINDOW AIR CONDITIONERS



MODEL : AMI B62 EF29

SUITABLE FOR L.G (LONG SHAFT)

R.P.M.	: 930
WATT	: 118
H.P	: 1/6
ROTATION	: CCW
CAPACITOR	: 6mfd
SPEED	: 3
SH EXTENSION	: 163.5mm x 154.0mm
FLAT SIZE	: 36.5mm x 38.5mm (Non Thread)



MODEL : AMI B63 EF29

SUITABLE FOR VOLTAS

R.P.M.	: 930
WATT	: 30
H.P	: 1/8
ROTATION	: CCW
CAPACITOR	: 6mfd
SPEED	: 3
SH EXTENSION	: 169.4mm x 80.5mm
FLAT SIZE	: 42mm With Thread x 35mm Non Thread



MODEL : AMI B64 EF29

SUITABLE FOR VIDEOCON

R.P.M.	: 1050
WATT	: 124
H.P	: 1/6
ROTATION	: CCW
CAPACITOR	: 4mfd
SPEED	: 3
SH EXTENSION	: 164mm x 82.3mm
FLAT SIZE	: 43.5mm With Thread x 21mm Non Thread



E FRAME MOTORS FOR WINDOW AIR CONDITIONERS



MODEL : AMI B65 EF29



SUITABLE FOR VIDEOCON

R.P.M.	: 1050
WATT	: 124
H.P	: 1/6
ROTATION	: CCW
CAPACITOR	: 4mfd
SPEED	: 3
SH EXTENSION	: 85.5mm x 78.5mm
FLAT SIZE	: 43.5mm With Thread x 27mm Non Thread



MODEL : AMI B66 EF29

SUITABLE FOR BLUE STAR

R.P.M.	: 930
WATT	: 93
H.P	: 1/8
ROTATION	: CCW
CAPACITOR	: 6mfd
SPEED	: 3
SH EXTENSION	: 96.0mm x 75.0mm
FLAT SIZE	: 55.5mm x 55.5mm (Non Thread)



MODEL : AMI B67 EF29

SUITABLE FOR BLUE STAR

R.P.M.	: 930
WATT	: 93
H.P	: 1/8
ROTATION	: CCW
CAPACITOR	: 6mfd
SPEED	: 3
SH EXTENSION	: 90.5mm x 69.0mm
FLAT SIZE	: 55.5mm x 55.5mm (Non Thread)

E FRAME MOTORS FOR WINDOW AIR CONDITIONERS



MODEL : AMI B68 EF29

SUITABLE FOR VOLTAS UE 1168

R.P.M.	: 910
WATT	: 95
H.P	: 1/8
ROTATION	: CW
CAPACITOR	: 6mfd
SPEED	: 3
SH EXTENSION	: 151.0mm x 82.5mm
Flat Size	: 63mm x 51mm (Non Thread)



MODEL : AMI B69 EF29

SUITABLE FOR CARRIER

R.P.M.	: 900
WATT	: 124
H.P	: 1/6
ROTATION	: CCW
CAPACITOR	: 6Mfd
SPEED	: 3
SH EXTENSION	: 76mm x 106.5mm
FLAT SIZE	: 46mm x 46mm (Non Thread)



OUTDOOR MOTORS



MODEL : AMI B02 EF29

SUITABLE FOR CARRIER SPLIT

R.P.M.	: 880
WATT	: 68
LUGS	: 4
ROTATION	: CW
CAPACITOR	: 4mfd
FLANGE	: NO
SH EXTENSION	: 60.0mm
Flat Size	: 34mm with Thread



MODEL : AMI B03 EF29

SUITABLE FOR VOLTAS

R.P.M.	: 1050
WATT	: 93
LUGS	: NO
ROTATION	: CCW
CAPACITOR	: 4mfd
FLANGE	: YES
SH EXTENSION	: 85.0mm
Flat Size	: 53.5mm with Thread



MODEL : AMI B04 EF29

SUITABLE FOR VOLTAS, AZURE

R.P.M.	: 1050
WATT	: 93
LUGS	: 3
ROTATION	: CCW
CAPACITOR	: 4mfd
FLANGE	: NO
SH EXTENSION	: 85mm
Flat Size	: 53.5mm with Thread



OUTDOOR MOTORS



MODEL : AMI B05 EF29

SUITABLE FOR BLUE STAR

R.P.M.	: 930
WATT	: 73
LUGS	: NO
ROTATION	: CCW
CAPACITOR	: 4MFD
FLANGE	: YES
SH EXTENSION	: 50.7mm
Flat Size	: 45mm Non Thread



MODEL : AMI B06 EF29

SUITABLE FOR BLUE STAR

R.P.M.	: 1050
WATT	: 93
LUGS	: NO
ROTATION	: CCW
CAPACITOR	: 4mfd
FLANGE	: YES
SH EXTENSION	: 66.0mm with Thread
Flat Size	: 39mm with Thread



OUTDOOR MOTORS



MODEL : AMI B09 EF29

SUITABLE FOR VIDEOCON

R.P.M.	: 900
WATT	: 76
LUGS	: 3
ROTATION	: CCW
CAPACITOR	: 4mfd
FLANGE	: NO
SH EXTENSION	: 79.5mm with Thread
FLAT SIZE	: 36mm with Thread



MODEL : AMI B12 EF29

SUITABLE FOR BLUE STAR

R.P.M.	: 900
WATT	: 75
LUGS	: 4
ROTATION	: CCW
CAPACITOR	: 4mfd
FLANGE	: NO
SH EXTENSION	: 63.0mm with Thread
FLAT SIZE	: 42mm with Thread



MODEL : AMI B24 EF29

SUITABLE FOR

R.P.M./SPEED	: 920/1
WATT	: 65
LUGS	: NO
ROTATION	: CCW
CAPACITOR	: 4mfd
FLANGE	: NO
SH EXTENSION	: 75.5mm
FLAT SIZE	: 45mm Non Thread



MODEL : AMI 2006 T-23

SUITABLE FOR ARCO WATER COOLER

R.P.M.	: 1350
ROTATION	: CW/ACW
WATTS	: 9
SHAFT EXTENSION	: 28mm
WINDING	: COPPER/ALM
CAPACITOR	: No (Shaded Pole)



MODEL : AMI 2033 T-23

SUITABLE FOR BLUE STAR WATER COOLER

R.P.M.	: 1280
ROTATION	: CW/ACW
WATTS	: 21
SHAFT EXTENSION	: 36mm Flat 30mm
WINDING	: COPPER/ALM
CAPACITOR	: No (Shaded Pole)





MODEL : AMI 2552 T200

SUITABLE FOR 2.0 TON

R.P.M.	: 1450
ROTATION	: CW/ACW
WATTS	: 149
SHAFT EXTENSION	: 102mm Flat 40mm
WINDING	: COPPER/ALM
CAPACITOR	: 7.0 mfd / 8.0 mfd



MODEL : AMI 2845 T200

SUITABLE FOR 2.0 TON

R.P.M.	: 930
ROTATION	: CW/ACW
WATTS	: 149
SHAFT EXTENSION	: 102mm Flat 40mm
WINDING	: COPPER/ALM
CAPACITOR	: 4.0 mfd / 4.0 mfd



MODEL : AMI 2546 T200

SUITABLE FOR SKODA TYPE 1.5 TON

R.P.M.	: 1150
ROTATION	: ACW
WATTS	: 93
SHAFT EXTENSION	: 90mm Flat 55mm with Thread
WINDING	: COPPER/ALM
CAPACITOR	: 4.0 mfd / 5.0 mfd



MODEL : AMI 2547 T200

SUITABLE FOR SKODA TYPE 2 TON

R.P.M.	: 1350
ROTATION	: ACW
WATTS	: 93
SHAFT EXTENSION	: 90mm Flat 55mm with thred
WINDING	: COPPER/ALM
CAPACITOR	: 4.0 mfd / 5.0 mfd



MODEL : AMI 2001 T200

**SUITABLE FOR COMPACT /
ACCENT 1.5 TON**

R.P.M.	: 1350
ROTATION	: CW
WATTS	: 93
SHAFT EXTENSION	: 72mm Flat 40mm
WINDING	: COPPER/ALM
CAPACITOR	: 4.0 mfd / 5.0 mfd



MODEL : AMI 2548 T200

SUITABLE FOR NEPOLIAN TYPE

R.P.M.	: 930
ROTATION	: ACW
WATTS	: 93
SHAFT EXTENSION	: 90mm Flat 55mm with thread
WINDING	: COPPER/ALM
CAPACITOR	: 4.0 mfd / 5.0 mfd



MODEL : AMI 2508 T-200

SUITABLE FOR 1.5 TON

R.P.M.	: 1350
ROTATION	: CW
WATTS	: 75
SHAFT EXTENSION	: 66.0mm FLAT 40.0mm
WINDING	: COPPER/ALM
CAPACITOR	: 4.0 mfd / 4.0 mfd



MODEL : AMI 2805 T-200

SUITABLE FOR 1.5 TON

R.P.M.	: 1350
ROTATION	: ACW
WATTS	: 93
SHAFT EXTENSION	: 91mm Flat 90mm
WINDING	: COPPER/ALM
CAPACITOR	: 4.0 mfd / 5.0 mfd



MODEL : AMI 2980 T-200

SUITABLE FOR 1.0 TON

R.P.M.	: 1350
ROTATION	: ACW
WATTS	: 37
SHAFT EXTENSION	: 116mm Flat 40mm
WINDING	: COPPER/ALM
CAPACITOR	: 4.0 mfd / 5.0 mfd

FHP MOTORS



MODEL : AMI 2549 T200

SUITABLE FOR 1.5 TON W/O BASE

R.P.M.	: 1350
ROTATION	: CW
WATTS	: 93
SHAFT EXTENSION	: 91mm flat 90mm
WINDING	: COPPER/ALM
CAPACITOR	: 4.0 mfd / 5.0 mfd

FHP WINDOW O/D MOTORS



MODEL : AMI 2960 T200

SUITABLE FOR 1.5 TON

R.P.M./SPEED	: 930/2
ROTATION	: ACW
WATTS	: 149
SHAFT EXTENSION	: 120mm X 120mm
WINDING	: COPPER/ALM
CAPACITOR	: 4.0 mfd / 4.0 mfd
FLAT SIZE	: 65mm X 65mm



MODEL : AMI 2961 T200

SUITABLE FOR 1.5 TON

R.P.M./SPEED	: 930/3
ROTATION	: ACW
WATTS	: 149
SHAFT EXTENSION	: 120mm X 120mm
WINDING	: COPPER/ALM
CAPACITOR	: 4.0 mfd / 4.0 mfd
FLAT SIZE	: 65mm X 65mm



MODEL : AMI 2955 T200

SUITABLE FOR 2.0 TON

R.P.M./SPEED	: 1280/3
ROTATION	: ACW
WATTS	: 149
SHAFT EXTENSION	: 115mm X 115mm
WINDING	: Copper
CAPACITOR	: 6 mfd
FLAT SIZE	: 65mm X 65mm



MODEL : AMI 2NEP WIN T200

SUITABLE FOR 1.5 TON

R.P.M./SPEED	: 930/3
ROTATION	: ACW
WATTS	: 149
SHAFT EXTENSION	: 123mm X 65mm
WINDING	: Copper/Alm
CAPACITOR	: 4.0 mfd / 4.0 mfd
FLAT SIZE	: 36mm X 36mm





MODEL : AMI 2090 T200

SUITABLE FOR 2.0 TON

R.P.M./SPEED	: 1280/3
ROTATION	: ACW
WATTS	: 186
SHAFT EXTENSION	: 125mm X 60mm
WINDING	: Copper
CAPACITOR	: 6 mfd
FLAT SIZE	: 60mm X 60mm



MODEL : AMI 2594 T200

SUITABLE FOR 1.5 TON

R.P.M./SPEED	: 930/1
ROTATION	: ACW
WATTS	: 149
SHAFT EXTENSION	: 55mm X 55mm
WINDING	: Copper/Alm
CAPACITOR	: 4.0 mfd/ 4.0 mfd
FLAT SIZE	: 45mm X 45mm



MODEL : AMI 2520 FT200

SUITABLE FOR 1.5 TON

R.P.M./SPEED	: 1350/1
ROTATION	: CW
WATTS	: 149
SHAFT EXTENSION	: 175mm X 175mm
WINDING	: Copper
CAPACITOR	: 7.0 mfd
FLAT SIZE	: 60mm X 60mm





MODEL : AMI 2596 T200

SUITABLE FOR 1.5 TON

R.P.M./SPEED	: 940/3
ROTATION	: CW
WATTS	: 62
SHAFT EXTENSION	: 175mm X 175mm
WINDING	: Copper
CAPACITOR	: 4.0 mfd
FLAT SIZE	: 60mm X 60mm



MODEL : AMI 2089 T200

SUITABLE FOR 1.5 TON

R.P.M./SPEED	: 930/3
ROTATION	: ACW
WATTS	: 149
SHAFT EXTENSION	: 130mm X 65mm
WINDING	: Copper/Alm
CAPACITOR	: 4.0 mfd / 4.0 mfd
FLAT SIZE	: 88mm X 55mm



O.D.U. WALL MOUNTED STAND



O.D.U. WALL MOUNTED STAND (WITH M-8 FASTENER KIT)

Length in mm (Inch) : 470mm (19 Inch)

Weight approx. : 2.600 kg

O.D.U. WALL MOUNTED STAND (WITH M-8 FASTENER KIT)

Length in mm (Inch) : 480mm (19 Inch)


Weight approx. : 2.900 kg



O.D.U. WALL MOUNTED STAND (WITH M-8 FASTENER KIT)

Length in mm (Inch) : 488mm (19.21 Inch)

Weight approx. : 3.250 kg




O.D.U. WALL MOUNTED STAND



O.D.U. WALL MOUNTED STAND (WITH M-8 FASTENER KIT)

Length in mm (Inch) : 488mm (19.21 Inch)


Weight approx. : 3.400 kg



ODU WALL STAND (WITH M-8 FASTENER KIT)

Length in mm (Inch) : 610mm (24 inch)

Weight approx. : 4.000kg



O.D.U. WALL MOUNTED STAND



ODU WALL STAND (WITH M-8 FASTENER KIT)

Length in mm (Inch) : 910mm (36 inch)

Weight approx. : 4.500 kg



O.D.U. WALL MOUNTED STAND (WITH M-8 FASTENER KIT)

Length in mm (Inch) : 1000mm (39 inch)

Weight approx. : 4.800 kg



O.D.U. WALL MOUNTED STAND



ODU WALL STAND (WITH M-8 FASTENER KIT)

Length in mm (Inch) : 1000mm (39 inch)

Weight approx. : 6.500 kg



FLOOR STAND FOR ODU (WITH HARDWARE & RUBBER FOOT MOUNTING)

Length in mm (Inch) : 495mm (19.5 Inch), Height in mm (Inch) : 100mm (4 inch)

Weight approx. : 2.400 kg



MOTORS FOR WASHING MACHINE (SPIN & WASH)



TROLLEYS FOR WASHING MACHINE



SATISFIED CUSTOMERS PAN INDIA



Quality Certifications



Authorised Dealer Stamp

ASHU MOTORS INDIA